STATE OF ILLINOIS

ILLINOIS COMMERCE COMMISSION



Illinois Commerce Commission

Petition for permission to make a major change in crossing

(Attorney's Address)

| protection, or to install new protection under 92 Illinois | | | V. 117711 | Data | RAIL SAFETY SECTION April 15, 2001 | | | | |
|--|---|------------------------------|--|-------------------------|---------------------------------------|---------------------------|--|--|--|
| Administrat | ion, or to install new protection under 92 Illinois strative Code 1535.400 (d). ILLINOIS COMMERCE COMMISSION titioner Norfolk Southe (1) That it is a railroad company operating a protection, or to install new protection, it is Commission. (2) That petitioner proposes and hereby may protection, or to install new protection, it is Commission. (3) That the location of the crossing, nature and other pertinent facts in connection the part of this petition. (4) That petitioner's reasons and purpose, we Modification of Grade Crossing Warning at: 126th. Street in Chicago, Cook Countered The Street in Chicago, Cook Countered The Petitioner prays that the Congranting authority for the making of the street in Chicago, the street in Chicago is the street of the street | | • | | April 15, 20 | <u> </u> | | | |
| To the ILI | LINOIS COMMERCE COMMIS | SSION: | TO1-0018 | | | | | | |
| The petitio | ner Norfolk S | Southern Raily | vay Company | | 7000060 | _shows | | | |
| (1) | That it is a railroad company oper | rating a line of | railroad in the Sta | ite of Illir | nois. | | | | |
| (2) | protection, or to install new protection | by makes applection, under 9 | lication for authori 2 Illinois Adminis | ty to mak trative Co | te a major change ode 1535.400 (d) | in crossing adopted by | | | |
| (3) | and other pertinent facts in connec | | | | | | | | |
| (4) | That petitioner's reasons and purp | ose, with refer | rence to its said pre | oposal ar | e to: | | | | |
| | Modification of Grade Crossing | Warning Dev | ices requested by I | llinois C | ommerce Commi | ssion | | | |
| | at: 126 th . Street in Chicago, Coo | ok County, Ill | inois, DOT: Pendi | ng, MP. I | RU-3.60 | | | | |
| | | | | | | | | | |
| | File No. 061-04.510 | | | | Project No. 04. | 0524 | | | |
| (5) | | | | | s attached thereto | o, are, all of | | | |
| he aforesa | id matter for hearing, and that t | the Commissi | on enter an ordei | or adop | t at resolution c | onsenting | | | |
| | | | _Norf | olk South | nern Railway Cor | npany | | | |
| | | | Ву | K.A. | Far | | | | |
| | | | | | ay, Administrato y Grade Crossing | | | | |
| | | | | | | • | | | |
| Three C | Southern Corporation Commercial Place , VA 23510-2191 | | | | | | | | |

Statement, attached to and part of an application for permission to make a major change in crossing protection or to install new protection, under 92 Illinois Administrative Code 1535.400(d).


| 1. | Name of Railroad Company | Norfolk Southern Railway C | Company | |
|-----|---|------------------------------|-----------------------|----------|
| 2. | Crossing Number | Pending | | |
| 3. | Village or City | Chicago | | |
| 4. | Name of Street or Highway | 126th. Street | | |
| 5. | Public Agency Maintaining Highway | City | | |
| 6. | Protection now established: | | | |
| | Crossing does not existing. New cross | ing. | | |
| | | | | |
| | | | | |
| | | | | |
| 7. | Protection desired: | | | |
| | Install grade crossing warning devices | consisting of Flashing Light | Crossing Signals with | <u>1</u> |
| | Gates controlled by constant warning t | time detection devices. | <u> </u> | |
| | · | | | |
| | | | | |
| 8. | Number of main tracks One | Other tracks | None | |
| 9. | Number of passenger movements: | | | |
| | 6 a.m. to 6 p.m. None | 6 p.m. to 6 a.m | None | |
| 10. | Number of freight train movements: | | | |
| | 6 a.m. to 6 p.m. One | 6 p.m. to 6 a.m | One | |
| 11. | Approximate number of switch movemen | its: | | |
| | 6 a.m. to 6 p.m. One | 6 p.m. to 6 a.m | None | |
| 12. | Maximum speed of trains at crossing on e | | | |
| | North/East 10 M.P.H. | | | |
| | South/West 10 M.P.H. | | | |
| 13. | Passenger platforms served by tracks with | | | |
| | | | | |
| | | | | |


| 14. Where automatic signals or gates are proposed, approximate number of train or engine movement daily which would cause false indications or operation: |
|--|
| None |
| 15. Nature and approximate amount of street or highway traffic over crossing: |
| Unknown |
| 16. In addition to the information listed hereinbefore in Form 3, attach a track plan or plat of the proportions. This plan should show: |
| (a) Width and surface of highway. |
| (b) Highway intersections (including private driveways to be so indicated) and location of established highway signs or signals within 100 feet of crossing. |
| (c) Location of tracks, switches and other railroad facilities such as block signals, etc. within limits of track circuits, present and/or proposed. |
| (d) Where automatic protection is proposed, show proposed location of signals (side lights, cantilevers, etc., if any). |
| (e) Show the length of each operating track section within the control limits of the crossing protection and its function. |
| ADDITIONAL INFORMATION |
| Drawing attached for question no. 16 |
| |
| |
| |
| |
| |
| |
| |

(File Original and Two Duplicates)

VERIFICATION

| I, | R. H. Ray | , first being o | luly sworn upon oath depose and say that I am |
|--------------|--|-----------------|--|
| Admiı | nistrator – Highway Grade Crossings | , of | Norfolk Southern Railway Company , a |
| | corporation; that I have read the reof; that said contents are true in subsand belief, and as to those, I believe sa | tance and in f | regoing petition by me subscribed and know the fact, except as to those matters stated upon s. |
| | | | P.H. P |
| | | _ | Administrator - Highway Grade Crossings |
| | | | |
| | | | |
| Subscribed a | nd sworn to before me this 215 | | |
| day of | <u>April</u> 20 <u>01</u> . | | |
| Notary 1 | Public (Georgia) or Witness | | |
| My Commissio | on Expires: | | |







Detailed Estimate for Grade Crossing Warning Devices

City/State: CHICAGO, IL.

Road: 126 TH PLACE

MilePost: RU-3.6

DOT/AAR:

State Proj. No.:

County: COOK

S&E Proj. No.: 04.0524

AFE:

Man Days: 112

File Number: 061-04.510

Purchases - Other

Meals and Lodging:

\$7,050.00

Rental of Equipment:

\$15,420.00

(2 Trucks, 1 Backhoe w/ Trailer and 1 Pipe-Pusher for 28 Days)

Construction Supervision Vehicle:

\$290.00

Contingencies:

\$540.00

Purchases - Other Total:

\$23,300.00

*** Material and Additives***

Material Cost:

\$62,480.00

Sales and Use Tax:

\$3,120.00

Material Handling Freight:

\$5,940.00

Material Total:

\$71,540.00

Labor and Additives

Labor Cost:

\$18,140.00

(4 man crew at \$648.00 a day for: 28 days)

Payroll Tax & Overheads:

\$15,710.00

Preliminary Engineering:

\$7,090.00

Construction Supervision:

\$5,120.00

Labor Total:

\$46,060.00

Subtotal:

\$140,900.00

Credit:

\$0.00

(Salvage/Scrap)

Project Total:

\$140,900.00

Estimated on: 12-Apr-02

Estimated by: epkfr



Highway Crossing Signalization Program - Material List

Do not substitute items without permission from S & E Engineering

| City: | CHICAGO | | | | | |
|-----------------------|--------------|--|--|--|--|--|
| Road: | 126 TH PLACE | | | | | |
| Milepost: | RU-3.6 | | | | | |
| Drawing Number: | 3235-0036 | | | | | |
| State Project Number: | | | | | | |
| County: | соок | | | | | |
| A A R Number: | | | | | | |
| Project Number: | 04.0524 | | | | | |
| File Number: | 061-04.510 | | | | | |
| A F E Number: | | | | | | |
| Store Number: | | | | | | |
| Supervisor: | J.W. WILSON | | | | | |
| Tax Code: | 1200 | | | | | |

Vendor to supply the following copies after pricing:

- Set Material Management with original invoice
 Sets with plans shipped in car with material
 Set S&E Gen. Supt. Construction w/ copy of invoice

S&E Proj. No.: 04.0524

AFE No.:

Drawing No.: 3235-0036

Store No.:

P.O. Number:

Date Required:

Date Shipped:

Vendor: SW Signal Engineering Company

Page 1/ €

| - | 1 | | Price | | | | Quantity Installed | | | Quantity | |
|------|--------------------------|----|------------|-------------|---|---------------------|--------------------|---------------|---------------|----------------------|-------------------------|
| Qty. | Class-Item-CD | UI | per Item | Total Price | Item Description | Quantity Shipped | Date Quan. | Date Quan. | Date Quan. | Returned (Credit) | Special Instructions |
| 3 | 670-360693-4 | EA | \$4.82 | \$14.46 | AAR/DOT NUMBER PLATE/DECAL,ORDER 3 PER PROJECT. 60 DAY LEAD TIME. SUPPLIED BY S'TRAN | | | | | | |
| 1 | 165-006505-4 | EA | \$944.48 | \$944.48 | AC SERVICE, COMPLETE LESS METER BASE, ASSEMBLED ON 30' POLE | | | | | | |
| 2 | 670-520496-4 | EΑ | \$27.30 | \$54.61 | ARC SUPRESSOR WITH DIODE, SAFETRAN PART# 8A299, BAKELITE BASE 023612-X. USE WITH SSCCIII | | | | | | N-V- 4 M |
| 2 | 670-001321-4 | EΑ | \$246.66 | \$493.32 | ARM, GATE FIBERGLASS-ALUMINUM 17-24 FT., L&W OR US&S OR SAFETRAN 076600-240017 OR | | | | | | W-1 |
| 17 | 165-021628-4 | EA | \$7.61 | \$129.44 | ARRESTER, LIGHTNING CLEARVIEW W/O BASE USS PART N451552-0201 SAFETRAN PART @022485-28X CR02-025565 | | | | | | |
| 14 | 165-021636-4 | EA | \$16.82 | \$235.55 | ARRESTER,LIGHTNING 3 POST PORCELAIN BASE SSC#022485-33X | | | | | | |
| 13 | 105-871901-4 | EA | \$154.22 | \$2,004.81 | BATTERY, GNB 265AH MODEL 50A11 SINGLE CELL 2.25 VOLTS | | | | | | |
| 1 | 670-503047 -4 | EA | \$185.75 | \$185.75 | BELL, CROSSING ELECTRONIC GENERL SIGNAL, EB-3-360-5 CR 02-044350 | | | | | | |
| 14 | 670-005125-4 | EA | \$2.11 | \$29.51 | BLOCK, TERMINAL BAKELITE FOR MOUNTING LIGHTING ARRESTOR EQUALIZER OR RESISTANCE UNIT | | | | | | |
| 9 | 670-058281-4 | EA | \$11.25 | \$101.22 | BLOCK, UNIVERSAL TERMINAL OF 12 SINGLE POST SAFETRAN 023390-11X, W-C 2508-112E W-NUTS & WASHERS CR 02-048757 | | | | | | |
| 2 | 670-004691-4 | EA | \$59.03 | \$118.06 | BLOCK,TERMINAL 14 WAY SAFETRAN PN 051883-18X1 FOR MOUNTING IN RELAY SLOT | | ~ | | | | |
| 100 | 670-065723-4 | EA | \$2.69 | \$269.15 | BOND, HEAD 6 1/2"x3/16",SIGNAL ERICO PRODUCTS CATA SBS24882, CR 02-067252 | | | | | | |
| 200 | 670-065872-4 | LF | \$0.74 | \$147.36 | BONDSTRAND, 3/16 IN WIRE 4/64 IN PVC INSULATION OUTER WIRES TINNED ONLY, ALSO USED TO MAKE 4 AND 6 HOLD LONG BONDS. | | | , | | | |
| 2 | 670-169035-4 | EA | \$1,845.19 | \$3,690.38 | BRACKET, GENERAL SIGNALS, INC. SK-1000, SPRING LOADED ADAPTOR FOR ALGATES 28'OR LESS, NORMAL | | | | | | |

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

¥

H_

S&E Proj. No.: 04.0524

AFE No.:

Drawing No.: 3235-0036

P.O. Number: Store No.:

Date Required:

Date Shipped:

Page 2/ 6 Vendor: SW Signal Engineering Company Quantity Installed Quantity

| Qty. | Class-Item-CD | UI | Price per Item | Total Price | Item Description | Quantity Shipped | Date Quan. | Date Quan. | Date Quan. | Returned (Credit) | Special Instructions |
|------|---------------|----|-------------------|-------------|--|---------------------|---------------|--|---------------|----------------------|-------------------------|
| 2 | 670-000977-4 | EA | \$57.98 | \$115.95 | BRACKET, HIGH WIND SUPPORT HARMON @54-00139, SERRMI @50044 SAFETRAN 076203-518X | | | | | | |
| 300 | 465-292862-4 | LF | \$1.00 | \$300.87 | CABLE, U-2-6 TWISTED, S-23 OKONITE 113-12-3933 SOLID TINNED CONDUCTOR | | | | | | |
| 300 | 465-292929-4 | LF | \$3.00 | \$899.58 | CABLE, U.G. 5 COND. NO. 6 AWG SOLID COPPER CABLE TO MEET NS CORP. SPEC. FOR SIGNAL | | | | | | |
| 300 | 465-939422-4 | LF | \$2.56 | \$767.55 | CABLE, UG 12 CONDUCTOR NO 14 AWG SOLID EACH CONDUCTOR WITH 5/64 IN INSULATION 10 MIL | | | | | | |
| 300 | 465-277674-4 | FT | \$2.80 | \$841.23 | CABLE, UG 3CD NUMBER 6 FOR HIGH CURRENT AC POWER OKONITE 206-11-6 243 | | | | | | |
| 2 | 670-477629-4 | EΑ | \$478.44 | \$956.88 | CHARGER, BATTERY CRAGG MODEL 20 EC-12V 20 AMP TEMP COMPENSATED | | | | | | |
| 6 | 165-018550-4 | EA | \$1.20 | \$7.18 | CLIP, MOUNTING LPC 10181 (3 CLIPS REQ. FOR LPC 10560) (2 CLIPS REQ. FOR LPC 10179) | | | | | | |
| 120 | 165-544477-4 | FT | \$2.00 | \$239.47 | CONDUIT, 4"x10" PVC, SCHEDULE 80 BELL CONNECTOR AT ONE END, 1/2 PT. GLUE IN KIT 670-123298-4 | | · | | | | |
| 3 | 165-299316-4 | EA | \$16.89 | \$50.66 | CONDUIT, PVC CASE OUTLET 4 IN. X 29-1/2 IN. SCHEDULE-80 WITH 4 IN. COUPLING, CARLON E940N, | | | _ | | | |
| 200 | 670-918555-4 | EA | \$3.39 | \$677.50 | CONNECTOR, WEB TRACK 1IN X 4IN LONG, FOR SHUNT CONN TO RAIL, INCLUDES WELD METAL & MOLDS (ERICO #SBTBBU4A) | | | | | | |
| 2 | 670-090450-4 | EA | \$49.62 | \$99.25 | CONNECTOR, WELDED FAR RAIL HARMON A1000-2W | | | | | | |
| 2 | 670-486646-4 | EA | \$40.66 | \$81.32 | CONNECTOR, WELDED NEAR RAIL HARMON A1000-1W | | | | | | |
| 1 | 670-314147-4 | EA | \$2,198.57 | \$2,198.57 | CONTROLLER, S.S.C. III 20A SOLID STATE STRAN PART#9000-91165-0001 | | | | | | <u>_</u> |
| 2 | 670-793404-4 | EΑ | \$838.38 | \$1,676.76 | COUNTERWEIGHT PKAGE, 17-24'GATE S'TRAN S- MECH ONLY, STAINLESS, TO INCLUDE HUB, SUPPORT ARMS | | | | | | |

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

IL

S&E Proj. No.: 04.0524

AFE No.:

Drawing No.: 3235-0036

Page 3/ 6

Store No.:

P.O. Number:

Date Required:

Date Shipped:

Vendor: SW Signal Engineering Company

| | | | | | | | Qu | antity Insta | lled | Quantity | |
|------|--------------------------|----|-------------------|-------------|---|---------------------|---------------|---------------|---------------|----------------------|---------------------------------------|
| Qty. | Class-Item-CD | Uı | Price per Item | Total Price | Item Description | Quantity Shipped | Date Quan. | Date Quan. | Date Quan. | Returned (Credit) | Special Instructions |
| 4 | 670-760012-4 | EA | \$34.90 | \$139.59 | COVER, FOR 1 WAY FLASHING LIGHT ASSY. 18 OZ. BLACK VINYL COATED NYLON. ====TO COVER 2 LAMPS==== | | | | | | · · · · · · · · · · · · · · · · · · · |
| 3 | 670-080337-4 | EA | \$0.73 | \$2.18 | DECAL, X'ING SIGNAL MALFUNCTION 11" X 4", GATE MOUNT | | | | _ | | |
| 3 | 670-07754 4-4 | EA | \$0.54 | \$1.63 | DECAL, X'ING SIGNAL MALFUNCTION 6" X 6", MAST MOUNT | | | | | | |
| 1 | 670-986650-4 | EA | \$361.26 | \$361.26 | DISPOSAL, CONSTRUCTION DEBRIS AND CLEANING X'ING EQUIPMENT CONTAINER | | | | | | |
| 6 | 670-228165-4 | EA | \$10.73 | \$64.35 | EQUALIZER, SAFETRAN 022700-1X LESS BASE, MODERN NO. 700-1 SHUNT ARRESTER TRACK CIRCUITS CR 02-197950 | | | | _ | | |
| 1 | 670-000004-4 | EA | \$281.44 | \$281.44 | FCC LICENSE FOR MONITOR/RADIO | | | | | | |
| 2 | 670-000003-4 | EA | \$255.85 | \$511.70 | FILL/STONE #57, QUANITY IS BASED ON TRUCK LOAD PLUS DELIVERY COST | | | | | | |
| 2 | 670-015231-4 | EA | \$381.69 | \$763.37 | FOUNDATION,DIXIE,S-2 GATE 5'6" ASSEMBLED | | | | | | |
| 1 | 670-477991-4 | EA | \$292.81 | \$292.81 | KIT, GROUNDING ASSY FOR AL I/S INCLUDES 8 GRD RDS,200*#4WIRE,12 4 WIRE ONE-SHOTS. ERICO SBK206 | | | | | | |
| 1 | 670-123298-4 | EA | \$225.10 | \$225.10 | KIT, HARDWARE SUPPLIES REQUIRED X'ING P'CKAGES. WEB CONNECTORS FOR SHUNT(8EA) TAPE, AMPS,P'GUM PAINT,SLEEVES,TAGS,GLUE, 100 EA WHITE TAGS,)NE CAN BLUE MARKING PAINT ETC | | | | | | |
| 2 | 670-764166-4 | EA | \$907.09 | \$1,814.18 | LAMP ASSY, 5" MAST MTG. 2W IND. 20" BKGRD, FLX-12 W/BULB S'TRAN #042003-487XNS | | | | | | |
| 6 | 165-643547-4 | EA | \$8.43 | \$50.60 | LAMP, 18 WATT 10 VOLT S-11 SC BAY 18S11/1SC CLEAR RWY SIGNAL UJ-71463 GE | | | | | | |
| 31 | 670-440826-4 | EA | \$1.01 | \$31.41 | LINK, SAFETRAN 024620-1X INSL TESTING COMP 1 IN CENTER SIGNAL CIRCUITS CR 02-286662 | | | | | | |
| 5 | 255-590880-4 | EA | \$15.62 | \$78.09 | LOCK, AMERICAN LOCK MODEL H-10KA KEYED ALIKE TO PRIVATE KEYWAY D456 AND STAMPED "NS SIG" | | | | | | |

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

JL

S&E Proj. No.: 04.0524

AFE No.:

Drawing No.: 3235-0036

Page 4/ €

Store No.:

P.O. Number:

Date Required:

Date Shipped:

Vendor: SW Signal Engineering Company

| | I | 1 7 | Price | | | | Qı | antity Insta | lled | Quantity | |
|------|---------------|-----|-------------|-------------|--|---------------------|---------------|---------------|---------------|----------------------|-------------------------|
| Qty. | Class-Item-CD | UI | per Item | Total Price | Item Description | Quantity Shipped | Date Quan. | Date Quan. | Date Quan. | Returned (Credit) | Special Instructions |
| 2 | 670-637778-4 | EΑ | \$1,055.55 | \$2,111.09 | MAST, 5" ALUMINUM 13'10" WITH DOUBLE JCT. BOX BASE. S'TRAN P# 070519-11AX. | | | | | | |
| 2 | 670-521147-4 | EΑ | \$2,932.81 | \$5,865.62 | MECHANISM, GATE MODEL S40, WITH CONTACT HEATER, COMPLETE W/RELAY S'TRAN # 074000-W00090 | | · | | | | |
| 1 | 670-208385-4 | EA | \$204.68 | \$204.68 | MODEM CHIP, DEMA-NS5 MONITOR (HARMON 003640-791) | | | | | | |
| 2 | 670-700469-4 | EA | \$1,128.30 | \$2,256.60 | MODULE, MULTI FREQUENCY ISLAND SAFETRAN #80211 FOR 3000GCP | | | | | | |
| 1 | 670-499590-4 | EA | \$2,378.38 | \$2,378.38 | MONITOR,HIGHWAY XING,(DEMA-NS8NR-#M) W/DUAL SENSOR,NO RADIO,INCLUDES WIRING AND INSTALLATION | | | | | | · |
| 4 | 670-001347-4 | EA | \$57.98 | \$231.90 | PACKAGE, HARDWARE SIGN 5 IN. MOUNTING, SERRMI A1250-5, HARMON @200965-000, OR | | | | | | |
| 1 | 255-646807-4 | EA | \$9.49 | \$9.49 | PADLOCK, SAFETRAN PART NO. 030399-29X SCREW TYPE FOR CIR CONTROLLER AND BTY, BOX | | | | | | |
| 1 | 670-802995-4 | EA | \$71.23 | \$71.23 | PANEL, BLANK 8" x 23" FOR RACK MOUNTING BACK BOARD EQUIPMENT S'TRAN #038243-T03591 | | | | | | |
| 1 | 670-514605-4 | EA | \$8.43 | \$8.43 | PINNACLE, W-C SECT 1-11, 4"& 5" REF K1 110-8 OR SAFETRAN NO. @035045-503X | | | | | | |
| 1 | 670-014176-4 | EA | \$11,754.77 | \$11,754.77 | PREDICTOR, GRADE CROSSING 3000D2 1 TRACK, SAFETRAN #80100-101-0 DUAL UNIT, NO ISLAND | | | | | | |
| 1 | 165-018451-4 | EΑ | \$128.60 | \$128.60 | PROTECTOR, 12VDC, AAR MOUNT LPC 10593-9 LIGHTNING PROTECTION CORP. | | | | | | |
| 1 | 165-018469-4 | EA | \$109.76 | \$109.76 | PROTECTOR, 28VDC LPC 10593-1 | | | | | | |
| 2 | 165-103293-4 | EA | \$44.47 | \$88.93 | PROTECTOR, LIGHTNING & SURGE LPC 10560-51, 3 ELECTRODE WITH SPADE TERMINAL | | | - | | | |
| 1 | 670-166532-4 | EA | \$140.72 | \$140.72 | PROTECTOR, SURGE 3-WIRE PLUS GRD 120/240 JOSLYN ELECTRONICS 1259-21-A FOR I/S AC BREAKER PANEL | | | | | | |

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

IL

S&E Proj. No.: 04.0524

AFE No.:

Drawing No.: 3235-0036

Vendor: SW Signal Engineering Company

Page 5/ €

Store No.:

P.O. Number:

Date Required:

Date Shipped:

| Store | No.: | | ₽.0. | Number: | Date Required: Date Shippe | d: | | Vendor | : SW Si | gnal Enginee | ring Company |
|-------|---------------|----|-------------------|-------------|--|---------------------|---------------|---------------|---------------|---|-------------------------|
| | | | Dei | T | | | Qu | antity Insta | lled | Quantity | - |
| Qty. | Class-Item-CD | UI | Price per Item | Total Price | Item Description | Quantity Shipped | Date Quan. | Date Quan. | Date Quan. | Returned (Credit) | Special Instructions |
| 1 | 670-015628-4 | EA | \$266.80 | \$266.80 | RACK, BARE ALUMINUM, FOR MTG. XING EQUIPMENT. | | | | | | |
| 1 | 610-215904-4 | EA | \$365.87 | \$365.87 | RADIO, RITRON, FREQUENCY COMBO #6, CH 1 = 160.800MHZ, CH 2 = 161.055MHZ FORMER CR TERRITORY | | | | | | |
| 4 | 465-002899-4 | EΑ | \$20.88 | \$83.51 | REEL, CABLE DISPOSABLE FOR CROSSING SIGNAL PACKAGES | | - | | | | |
| 2 | 180-662001-4 | EA | \$108.57 | \$217.15 | RESISTOR, SAFETRAN 029258-50-A2X SEALED TAP TYPE 2.5 OHMS 4.47 MAXIMUM AMPS (LIGHTING) | | | | | | |
| 1 | 670-760271-4 | EA | \$10,232.98 | \$10,232.98 | SHELTER, BARE ALUM 6'X6' W/ FARADAY SHIELD (SERRMI A8200-66N-10) FOR CROSSINGS | | | | | | |
| 3 | 670-793474-4 | EA | \$14.40 | \$43.20 | SHIELD, GROUND (SERRM# 61223) FOR GROUNDING 12- WAY TERMINAL BLOCK | | | | - | | |
| 4 | 670-798192-4 | EA | \$5.20 | \$20.80 | SHIELD, GROUND (SERRM# 61224) FOR GROUNDING R.H. 3-POST TERMINAL BLOCK | | | | | | |
| 6 | 670-809896-4 | EΑ | \$5.20 | \$31.20 | SHIELD, GROUND (SERRM# 61224-1) FOR GROUNDING L.H. 3-POST TERMINAL BLOCK | | : : | | | | |
| 2 | 670-586967-4 | EΑ | \$34.74 | \$69.49 | SHUNT COVER W/LAG SCREWS, 19"X19", SERRMI #40271, ORDER 1 PER SHUNT | | , | | | - | |
| 2 | 670-688850-4 | EΑ | \$370.27 | \$740,53 | SHUNT, MULTI-FREQ. #62775-3497 SAFETRAN NARROW BAND | | | | | | |
| 2 | 670-806648-4 | EΑ | \$56.42 | \$112.84 | SIGN, X-BUCK, LESS HARDWARE, SAFETRAN 035200-X CR 02-490546 | | | | : | 444 A | |
| 2 | 670-751511-4 | ĘA | \$35.58 | \$71.17 | SIGN, "1" TRACK, LESS HARDWARE SAFETRAN# 035207- 1X | | | | | | |
| 2 | 670-006438-4 | EA | \$10.54 | \$21.08 | TAPE, 4" X 96" REFLECTIVE APPLY TO BACK OF X-BUCK SIGN. ONLY IN IA., IN., IL., AL. 035200-555X | | | | <u> </u> | | |
| 1 | 670-330382-4 | RL | \$10.75 | \$10.75 | TAPE, THOR 3" DURATEC, ORANGE 1000' LENGTHS. "WARNING STOP DIGGING" | | | | - | | |

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER

Location: CHICAGO AFE No.: Drawing No.: 3235-0036 Page 6/ 8 IL S&E Proj. No.: 04.0524 Vendor: SW Signal Engineering Company Date Required: Date Shipped: P.O. Number: Store No.: Quantity Installed Quantity Price Date Date Returned Special Quantity Date per Item Item Description Qty. Class-Item-CD UI **Total Price** Shipped Quan. Quan. Quan. (Credit) Instructions UNIT, THE INSTALLATION AND WIRING OF A DEVICE WHICH REQUIRE A MINIMUM OF FOUR WIRE CONNECT-21 670-007238-4 ËΑ \$2,879.85 \$137.14

Total Material \$62,475.96

APPROVED BY STATE

APPROVED BY RAILROAD

CAR NUMBER